




SIGNS CATALOGUE

CONTENTS:

installation rules	1
number of signs and place of installation	2
checkout	3
doors	4
signs searching	5
 <u>SIGNS CATALOGUE - categories:</u>	
PRODUCT SEGMENTS SIGNS	6
ASSORTMENT SIGNS	8
AREA SIGNS	11
JOB TITLES AND ROOM FUNCTIONS SIGNS	18
ROOM FUNCTIONS SIGNS - WC	22
PARKING SIGNS	25
ADDITIONAL SIGNS	26



INSTALLATION RULES

Inner signs installed above desks divides space into service areas. Charcoal color signs are dedicated to passenger car segment workplaces and red color signs are dedicated to the truck segment workplaces.

Job titles signs and room functions signs are in charcoal color.

Suggested height for signs installation is 210-225 cm from the floor however the height must be conformed to the situation. The same height for all signs in service area is a must.

INNER SIGNS


MATERIAL: soft foamy 5 mm PVC board.

GRAPHICS: manometric foil coated with dedicated mat UV laminate. High quality print.

EXTERNAL SIGNS

MATERIAL: dibond 3 mm board.

GRAPHICS: print on polymer foil coated with dedicated UV laminate.



NUMBER OF SIGNS AND PLACE OF INSTALLATION

In the process of determining number of signs, it is very important how service area is arranged: how many workplaces for given segments.


If single workplace is situated not in the line with other workplaces, it must have separate sign suspended from the ceiling above.




Basic principles:

- One sign above individual workplace
- One sign above maximum 3 workplaces of one product segment put in line
- If 4 and more workplaces of one product segment in line, then one sign above every second workplace.

Signs installation can be carried out by steel wire or fishing line. Strip for fixing is stuck on the back of the sign (see the picture).

Do not drill any holes on the signs for installing.





CHECKOUT

Above the checkout (RECOMMENDED) – 80×25 cm

CHECKOUT sign must be put on the wall above the checkout window not less than 5 cm from the edge.

If not possible to put the sign to the wall, suspend it from the ceiling.

Install only 80×25 cm signs above the checkout window.

Above rule applies ROADS SERVICE sign 80×25 cm as well.

ON THE WINDOW – 45×15 cm

If the checkout window is high, use the sign stuck to the window surface but only if the sign doesn't reduce visibility for employees, customers and monitoring cameras.

The sign on checkout window must be stuck on the height of 180 cm from the floor.


Stick only 45×15 cm sign on the checkout window.

Above rule applies ROADS SERVICE sign 45×15 cm as well.

THE SIGN SUSPENDED FROM THE CEILING ABOVE THE DESK – 80×25 cm

If there is no standard checkout in the service room but the checkout desk only in line with other worksites, use suspended from the ceiling sign then.

Above rule applies ROADS SERVICE sign 100×25 cm as well.



DOORS

ON THE DOOR (RECOMMENDED)

Job titles and room function signs must be placed on the door on the height of 155 cm from the floor.

If necessity of two signs on the door, put the second below but no less than 7,5 cm from the one above.

Maximum two signs on one door.

NEXT TO THE DOOR

Exceptionally it is allowed placing the sign on the wall next to the door.

The sign should be placed no less than 5 cm from the edge by the same side as door handle.

NEXT TO THE PASSAGE

If no doors it is allowed to place the sign next to the passage but no less than 5 cm from the edge on the right or left side.

It is recommended to place the sign on the right side of the passage.

ABOVE DOORS

If no doors it is allowed to place the sign above the entrance.

That solution is accepted only for selected signs in size 80×25 cm and 100×25 cm.

The sign should be placed centrally above the passage no less than 5 cm from the edge.

NOT TYPICAL DOORS

If there is a small window on the door or other obstacle that makes sign installation difficult on the height of 155 cm, it is allowed to place the sign on another height eg. A, B or C.

SIGNS SEARCHING

To make signs searching easier, they are split to the categories. There is a sign number ascribed to the particular sign. The sign number is sign's name at the same time.

Signs categories:

- SEGMENT SIGNS – with icon of main IC segments
- ASSORTMENT SIGNS – with base assortment icons
- AREA SIGNS – stating main areas in service room
- JOB TITLES SIGNS – door signs – describing rooms that occur in the Company
- ROOM FUNCTION SIGNS – WC – door signs – describing restrooms
- PARKING SIGNS – dedicated to the parking space
- ADDITIONAL SIGNS – other useful signs not ascribed to the main categories

Other solutions, resulted of individual needs, will be developed and actualized in next versions of the signs catalog.

Production files are available for downloading on the DMS ICMS disc
on: dms.icms.eu
catalog: [00_New_Brand_of_IC/OZNAKOWANIE_FILII/Tabliczki/](#)

Sign's abbreviation and name correspond to file available for downloading.

Exemplary full file name of the sign:

TS01-P80_kasa_1


Description:

- TS – category abbreviation
- 01 – order number
- P – way of mounting (P – suspended or stuck; S – window sign; D – door sign)
- 80 – sign width
- kasa_1 – sign name

NO.	NAME	DESCRIPTION / APPLICATION	INSTALLATION	DIMENSIONS (W×H)
-----	------	---------------------------	--------------	------------------

Category: PRODUCT SEGMENT SIGNS




TOS	INNER SIGN CATEGORY: PRODUCT SEGMENT SIGNS PASSENGER CARS	<div> <div>SAMOCZODY OSOBOWE</div>  </div>		
		Directly above the workplace. Number of desks and its setting to each other decides how many signs are used.	Suspended from the ceiling.	100×25 cm
TCI	INNER SIGN CATEGORY: PRODUCT SEGMENT SIGNS TRUCKS	<div> <div>SAMOCZODY CIĘŻAROWE</div>  </div>		
		Directly above the workplace. Number of desks and its setting to each other decides how many signs are used.	Suspended from the ceiling.	100×25 cm
TMO	INNER SIGN CATEGORY: PRODUCT SEGMENT SIGNS MOTORCYCLES	<div> <div>MOTOCYKLE</div>  </div>		
		Directly above the workplace. Number of desks and its setting to each other decides how many signs are used.	Suspended from the ceiling.	100×25 cm



NO.	NAME	DESCRIPTION / APPLICATION	INSTALLATION	DIMENSIONS (W×H)
TWW P100	INNER SIGN CATEGORY: PRODUCT SEGMENT SIGNS WORKSHOP EQUIPMENT		Suspended from the ceiling.	100×25 cm
		Directly above the workplace. Number of desks and its setting to each other decides how many signs are used.		

NO.	NAME	DESCRIPTION / APPLICATION	INSTALLATION	DIMENSIONS (W×H)
-----	------	---------------------------	--------------	------------------

Category: ASSORTMENT SIGNS


TA01	INNER SIGN CATEGORY: ASSORTMENT SIGNS TIRES			
		Directly above the workplace. Number of desks and its setting to each other decides how many signs are used.	Suspended from the ceiling.	100×25 cm
TA02C	INNER SIGN CATEGORY: ASSORTMENT SIGNS CIE TIRES <i>Truck tires dedicated only.</i>			
		Directly above the workplace. Number of desks and its setting to each other decides how many signs are used.	Suspended from the ceiling.	100×25 cm
TA03	INNER SIGN CATEGORY: ASSORTMENT SIGNS ACCESSORIES			
		Directly above the workplace. Number of desks and its setting to each other decides how many signs are used.	Suspended from the ceiling.	100×25 cm


NO.	NAME	DESCRIPTION / APPLICATION	INSTALLATION	DIMENSIONS (W×H)
TA04C	INNER SIGN CATEGORY: ASSORTMENT SIGNS CIE ACCESSORIES Truck accessories dedicated only.	<div>AKCESORIA</div> 		
P100		Directly above the workplace. Number of desks and its setting to each other decides how many signs are used.	Suspended from the ceiling.	100×25 cm
TA05	INNER SIGN CATEGORY: ASSORTMENT SIGNS OILS AND GREASES	<div>OLEJE I SMARY</div> 		
P100		Directly above the workplace. Number of desks and its setting to each other decides how many signs are used.	Suspended from the ceiling.	100×25 cm
TA06C	INNER SIGN CATEGORY: ASSORTMENT SIGNS CIE OILS AND GREASES Truck oils and greases dedicated only.	<div>OLEJE I SMARY</div> 		
P100		Directly above the workplace. Number of desks and its setting to each other decides how many signs are used.	Suspended from the ceiling.	100×25 cm



NO.	NAME	DESCRIPTION / APPLICATION	INSTALLATION	DIMENSIONS (W×H)
TA07	INNER SIGN CATEGORY: ASSORTMENT SIGNS BATTERIES			
P100		Directly above the workplace. Number of desks and its setting to each other decides how many signs are used.	Suspended from the ceiling.	100×25 cm
TA08C	INNER SIGN CATEGORY: ASSORTMENT SIGNS CIE BATTERIES <i>Truck batteries dedicated only.</i>			
P100		Directly above the workplace. Number of desks and its setting to each other decides how many signs are used.	Suspended from the ceiling.	100×25 cm



NO.	NAME	DESCRIPTION / APPLICATION	INSTALLATION	DIMENSIONS (W×H)
-----	------	---------------------------	--------------	------------------



Category: AREA SIGNS



TS00	INNER SIGN CATEGORY: AREA SIGNS CHECKOUT			
P80		<p>CHECKOUT sign is used if there is one workplace (window or desk checkout). Mounting system determine what sign is chosen.</p> <p>If the checkout window is high enough use TS00-S45 sign (stuck on the window) but only if the sign doesn't reduce visibility for employees, customers and monitoring cameras.</p>	RECOMMENDED Directly above the workplace or stuck to the wall above the checkout window.	80×25 cm
S45			ON THE CHECKOUT WINDOW Directly on the checkout window (min. 180 cm from the floor)	45×15 cm

TS01	INNER SIGN CATEGORY: AREA SIGNS CHECKOUT 1			
P80		<p>Use CHECKOUT 1 if min. two checkouts workplaces only. Mounting system determine what sign is chosen.</p> <p>If checkout window is high enough use TS01-S45 sign (stuck on the window) but only if the sign doesn't reduce visibility for employees, customers and monitoring cameras.</p>	RECOMMENDED Directly above the workplace or stuck to the wall above the checkout window.	80×25 cm
S45			ON THE CHECKOUT WINDOW Directly on the checkout window (min. 180 cm from the floor)	45×15 cm



NO.	NAME	DESCRIPTION / APPLICATION	INSTALLATION	DIMENSIONS (W×H)
TS02	INNER SIGN CATEGORY: AREA SIGNS CHECKOUT 2			
P80		Use CHECKOUT 2 if min. two checkout workplaces only. Mounting system determine what sign is chosen.	RECOMMENDED Directly above the workplace or stuck to the wall above the checkout window.	80×25 cm
S45		If checkout window is high enough use TS02-S45 sign (stuck on the window) but only if the sign doesn't reduce visibility for employees, customers and monitoring cameras.	ON THE CHECKOUT WINDOW Directly on the checkout window (min. 180 cm from the floor)	45×15 cm
TS03	INNER SIGN CATEGORY: AREA SIGNS CHECKOUT 3			
P80		Use CHECKOUT 3 if min. three checkout workplaces only. Mounting system determine what sign is chosen.	RECOMMENDED Directly above the workplace or stuck to the wall above the checkout window.	80×25 cm
S45		If checkout window is high enough use TS03-S45 sign (stuck on the window) but only if the sign doesn't reduce visibility for employees, customers and monitoring cameras.	ON THE CHECKOUT WINDOW Directly on the checkout window (min. 180 cm from the floor)	45×15 cm

NO.	NAME	DESCRIPTION / APPLICATION	INSTALLATION	DIMENSIONS (W×H)
TS04	INNER SIGN CATEGORY: AREA SIGNS CHECKOUT 4			
P80		Use CHECKOUT 4 if min. four checkouts workplaces only. Mounting system determine what sign is chosen.	RECOMMENDED Directly above the workplace or stuck to the wall above the checkout window.	80×25 cm
S45		If checkout window is high enough use TS04-S45 sign (stuck on the window) but only if the sign doesn't reduce visibility for employees, customers and monitoring cameras.	ON THE CHECKOUT WINDOW Directly on the checkout window (min. 180 cm from the floor)	45×15 cm
TS05	INNER OR OUTER SIGN CATEGORY: AREA SIGNS ROUTES SERVICE <i>Special sign used in exceptional situations</i>			
P100		The sign is used if there is special dedicated Routes service checkout, area or room only. Mounting system determine what sign is chosen. – Above workplace (desk or counter) – Above min. 100 cm width door (separate passage) – Outer sign above entrance	Suspended from the ceiling, stuck to the wall or to the building elevation.	100×25 cm
P80		– Above checkout window – Above min. 80 cm width door (separate passage)	Stuck on the wall above the checkout window or to the building elevation.	80×25 cm
S45		– On the checkout window If the checkout window is high enough use TS04-S45 sign (stuck on the window) but only if the sign doesn't reduce visibility for employees, customers and monitoring cameras.	ON THE CHECKOUT WINDOW Directly on the checkout window (min. 180 cm from the floor)	45×15 cm

NO.	NAME	DESCRIPTION / APPLICATION	INSTALLATION	DIMENSIONS (W×H)
TS06	INNER OR OUTER SIGN CATEGORY: AREA SIGNS RECEIPT OF THE GOODS / / CLAIMS			
P100		– Above designed place (desk or counter) – Or above doors with min 100 cm width (separate passage)	RECOMMENDED Suspended from the ceiling, stuck to the wall or to the building elevation.	100×25 cm
P80		– Above doors with min 80 cm width (separate passage)	Stuck to the wall or to the building elevation.	80×25 cm
TS07	INNER OR OUTER SIGN CATEGORY: AREA SIGNS RECEIPT OF THE GOODS			
P100		– Above designed place (desk or counter) – Or above doors with min 100 cm width (separate passage)	Suspended from the ceiling, stuck to the wall or to the building elevation.	100×25 cm
P80		– In smaller rooms with limited space – Above designed place (desk or counter) – Or above doors with min 80 cm width (separate passage)	Suspended from the ceiling, stuck to the wall or to the building elevation.	80×25 cm


NO.	NAME	DESCRIPTION / APPLICATION	INSTALLATION	DIMENSIONS (W×H)
TS08	INNER SIGN CATEGORY: AREA SIGNS CLAIMS			
P100			Suspended from the ceiling or stuck to the wall.	100×25 cm
P80			Suspended from the ceiling or stuck to the wall.	80×25 cm
TS09	INNER OR OUTER SIGN CATEGORY: AREA SIGNS WAREHOUSE			
P100			Suspended from the ceiling, stuck to the wall or to the building elevation.	100×25 cm
P80			Suspended from the ceiling, stuck to the wall or to the building elevation.	80×25 cm

NO.	NAME	DESCRIPTION / APPLICATION	INSTALLATION	DIMENSIONS (W×H)
TS10	INNER SIGN CATEGORY: AREA SIGNS WAITING ROOM			
		– Above designed waiting zone for goods receipt – Or above doors with min 100 cm width (separate passage)	Suspended from the ceiling or stuck to the wall.	100×25 cm
		– In smaller rooms with limited space – Above designed waiting zone for goods receipt – Or above doors with min 80 cm width (separate passage)	Suspended from the ceiling or stuck to the wall.	80×25 cm
TS11	INNER SIGN CATEGORY: AREA SIGNS CUSTOMER SERVICE <i>Special sign used in exceptional situations</i>			
		Use if one-segment branch and one person doing all customer service. – Above designed place (desk or counter) – Or above doors with min 100 cm width (separate passage)	Suspended from the ceiling or stuck to the wall.	100×25 cm
		– In smaller rooms with limited space – Above designed place (desk or counter) – Or above doors with min 80 cm width (separate passage)	Suspended from the ceiling or stuck to the wall.	80×25 cm

NO.	NAME	DESCRIPTION / APPLICATION	INSTALLATION	DIMENSIONS (W×H)
TS12	OUTER SIGN CATEGORY: AREA SIGNS DELIVERIES			
P100		<ul style="list-style-type: none"> – Above doors with min 100 cm width (separate passage) – Or above delivery gate 	Stuck on the building elevation	100×25 cm
P80		<ul style="list-style-type: none"> – Above doors with min 80 cm width (separate passage) 	Stuck on the building elevation	80×25 cm
TS12	OUTER SIGN CATEGORY: AREA SIGNS DELIVERIES Special sign used in exceptional situations			
P140		Use if the building and delivery gate is shared with other companies. <ul style="list-style-type: none"> – Above delivery gate 	Stuck on the building elevation	140×25 cm





NO.	NAME	DESCRIPTION / APPLICATION	INSTALLATION	DIMENSIONS (W×H)
-----	------	---------------------------	--------------	------------------





kategoria: JOB TITLES AND ROOM FUNCTIONS SIGNS





TF01	INNER SIGN CATEGORY: JOB TITLES SIGNS BRANCH MANAGER			
D35		On the Branch Manager doors.	ON THE DOOR (RECOMMENDED) Stuck directly on the door	35×15 cm
P80		If Branch Manager workplace is placed separately in service area, it is allowed to use suspended from the ceiling sign directly above the workplace.	Suspended from the ceiling. (Special sign used in exceptional situations)	80×25 cm

TF02	INNER SIGN CATEGORY: JOB TITLES SIGNS SALES REPRESENTATIVE			
D35		On the Sales Representative door.	ON THE DOOR Stuck directly on the door	35×15 cm

TF03	INNER SIGN CATEGORY: JOB TITLES SIGNS SALES REPRESENTATIVES			
D35		On the Sales Representative door.	ON THE DOOR Stuck directly on the door	35×15 cm





NO.	NAME	DESCRIPTION / APPLICATION	INSTALLATION	DIMENSIONS (W×H)
TF04	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS SERVICE ROOM			
D35		Stuck on the door to the service room for branch staff only.	ON THE DOOR Stuck directly on the door	35×15 cm
TF05	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS STAFF ONLY			
D35		Stuck on the door to area, corridor and passage accessible for branch staff only.	ON THE DOOR (RECOMMENDED) Stuck directly on the door	35×15 cm
P80		If no doors or the passage leads to the stairs, it is allowable to use suspended from the ceiling or stuck on the wall sign.	Suspended from the ceiling or stuck on the wall (Special sign used in exceptional situations)	80×25 cm
TF06	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS STAFF ROOM			
D35		Stuck on the door to the Staff room accessible for branch staff only.	ON THE DOOR Stuck directly on the door	35×15 cm
TF07	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS KITCHEN			
D35		Stuck on the door to the Kitchen if there is separate room to the Staff room for meal preparation.	ON THE DOOR Stuck directly on the door (Special sign used in exceptional situations)	35×15 cm





NO.	NAME	DESCRIPTION / APPLICATION	INSTALLATION	DIMENSIONS (W×H)
TF08	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS SZATNIA (ogólna)		ON THE DOOR Stuck directly on the door	35×15 cm
D35				
TF08D	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS LADIES CLOAKROOM		ON THE DOOR Stuck directly on the door (Special sign used in exceptional situations)	35×15 cm
D35				
TF08M	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS MEN`S CLOAKROOM		ON THE DOOR Stuck directly on the door (Special sign used in exceptional situations)	35×15 cm
D35				
TF09	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS UTILITY ROOM		ON THE DOOR Stuck directly on the door	35×15 cm
D35				





NO.	NAME	DESCRIPTION / APPLICATION	INSTALLATION	DIMENSIONS (W×H)
TF10	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS			
D35	TECHNICAL ROOM	Stuck on the door to the server room, boiler room, room with electrical switchgear, air-condition room, water pump room etc. where access is restricted.	ON THE DOOR Stuck directly on the door	35×15 cm
TF11	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS			
D35	SERVER ROOM	Stuck on the door to the Server room where access is restricted. Use optionally TF09-D35 TECHNICAL ROOM sign.	ON THE DOOR Stuck directly on the door	35×15 cm
TF12	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS			
D35	BOILER ROOM	Stuck on the door to the Boiler room where access is restricted. Use optionally TF09-D35 TECHNICAL ROOM sign.	ON THE DOOR Stuck directly on the door	35×15 cm
TF13	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS			
D35	CONFERENCE ROOM	Stuck on the door to the Conference room.	ON THE DOOR Stuck directly on the door	35×15 cm

NO.	NAME	DESCRIPTION / APPLICATION	INSTALLATION	DIMENSIONS (W×H)
-----	------	---------------------------	--------------	------------------

kategoria: FUNKCJE – WC



TWC01	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS – WC			
	WC (public)			
D15		Stuck on the door to the public WC.	ON THE DOOR Stuck directly on the door	15×15 cm
TWC02	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS – WC			
	WC FOR CUSTOMERS			
D35		Stuck on the door to WC for customers, if there are separate WC for staff and customers in the branch. Used together with chosen FOR STAFF sign.	ON THE DOOR Stuck directly on the door	35×15 cm
TWC03	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS – WC			
	WC STAFF			
D35		Stuck on the door to WC for staff, if there are separate WC for staff and customers in the branch. Used together with chosen FOR CUSTOMERS sign.	ON THE DOOR Stuck directly on the door	35×15 cm
TWC04	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS – WC			
	WC LADIES			
D15		Stuck on the door to WC Ladies.	ON THE DOOR Stuck directly on the door	15×15 cm

NO.	NAME	DESCRIPTION / APPLICATION	INSTALLATION	DIMENSIONS (W×H)
TWC05	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS – WC WC MEN		ON THE DOOR Stuck directly on the door	15×15 cm
D15				
TWC06	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS – WC WC STAFF LADIES		ON THE DOOR Stuck directly on the door	35×15 cm
D35				
TWC07	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS – WC WC STAFF MEN		ON THE DOOR Stuck directly on the door	35×15 cm
D35				
TWC08	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS – WC WC FOR DISABLED		ON THE DOOR Stuck directly on the door	15×15 cm
D15				

NO.	NAME	DESCRIPTION / APPLICATION	INSTALLATION	DIMENSIONS (W×H)
TWC09	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS – WC			
	WC FOR LADIES AND DISABLED	Stuck on the door to the WC for Ladies and Disabled together.	ON THE DOOR Stuck directly on the door	15×15 cm
TWC10	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS – WC			
	WC FOR MEN AND DISABLED	Stuck on the door to the WC for Men and Disabled together.	ON THE DOOR Stuck directly on the door	15×15 cm
TWC11	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS – WC			
	WC FOR MEN/LADIES AND DISABLED	Stuck on the door to men, ladies and disabled public WC.	ON THE DOOR Stuck directly on the door	25×15 cm
TWC12	INNER SIGN CATEGORY: ROOM FUNCTIONS SIGNS – WC			
	WC CUSTOMERS MEN/LADIES AND DISABLED	Stuck on the door to men, ladies and disabled staff WC. Use together with chosen staff WC sign if there are separate toilets for customer and staff.	ON THE DOOR Stuck directly on the door	35×15 cm


NO.	NAME	DESCRIPTION / APPLICATION	INSTALLATION	DIMENSIONS (W×H)
-----	------	---------------------------	--------------	------------------


Category: PARKING


TP1	OUTER SIGN CATEGORY: PARKING PARKING FOR CUSTOMERS			
		To indicate parking for customers. – If IC parking is shared with other users – If the parking is divided in customers and staff zones	OUTER SIGN Post or fence mounted. Do not drill any holes in the sign to mount it.	46×23 cm
TP2	OUTER SIGN CATEGORY: PARKING PARKING FOR STAFF			
		To indicate parking for staff. – If IC parking is shared with other users – If the parking is divided in customers and staff zones	OUTER SIGN Post or fence mounted. Do not drill any holes in the sign to mount it.	46×23 cm


NO.	NAME	DESCRIPTION / APPLICATION	INSTALLATION	DIMENSIONS (W×H)
-----	------	---------------------------	--------------	------------------




Category: ADDITIONAL SIGNS

NDP	INNER OR OUTER STICKER CATEGORY: ADDITIONAL SIGNS PUSH			
D14		Stuck on the glass door next to the handle, when is necessary push door to open. Used together with NDC-D14 PULL sign.	ON THE DOOR (STICKER) Stuck on the glass door	14×5 cm

NDC	INNER OR OUTER STICKER CATEGORY: ADDITIONAL SIGNS PULL			
D14		Stuck on the glass door next to the handle, when is necessary pull the door to open. Used together with NDP-D14 PUSH sign.	ON THE DOOR (STICKER) Stuck on the glass door	14×5 cm

TD1	OUTER SIGN CATEGORY: ADDITIONAL SIGNS NO PARKING			
D35		Put on the door or gate in delivery area. Can be used interchangeably with TD2-D35 DO NOT CROWD sign.	ON DOOR OR GATE SIGN Stuck on the door or gate.	35×15 cm

TD2	OUTER SIGN CATEGORY: ADDITIONAL SIGNS DO NOT CROWD			
D35		Put on the door or gate in delivery area. Can be used interchangeably with TD1-D35 NO PARKING sign.	ON DOOR OR GATE SIGN Stuck on the door or gate.	35×15 cm

NO.	NAME	DESCRIPTION / APPLICATION	INSTALLATION	DIMENSIONS (W×H)
TD3	INNER SIGN CATEGORY: ADDITIONAL SIGNS CLOSE THE DOOR			
D35		Put on inner doors. Mounted as an independent sign 155 cm from the floor or together with another door sign. <i>Do not use on main entrance.</i>	ON THE DOOR Stuck directly on the door	35×7 cm
TD4	DOUBLE SIDE DESK SIGN CATEGORY: ADDITIONAL SIGNS CLOSED / BE RIGHT BACK (BRB)	 		
B30		Desk sign to put on the checkpoint desk.	ON THE DESK	30×10 cm